



AD-A166 548 COMPARISONS OF 76HZ TRANSVERSE AND RADIAL MAGNETIC  
FIELD STRENGTH CORPONE. (U) NAVAL UNDERWATER SYSTEMS  
CENTER NEW LONDON CT NEW LONDON LAB. P R BANNISTER  
UNCLASSIFIED 11 MAR 86 NUSC-TD-7523 F/G 20/14 NL

1/2





MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS - 1963 - A

(15)

NUSC Technical Document 7523  
11 March 1986

**AD-A166 548**

# **Comparisons of 76Hz Transverse and Radial Magnetic Field Strength Components Received in Connecticut**

**Peter R. Bannister  
Submarine Electromagnetic Systems Department**



**DTIC FILE COPY**

**Naval Underwater Systems Center  
Newport, Rhode Island / New London, Connecticut**

Approved for public release; distribution unlimited.

0.2

### Preface

This report was prepared under NUSC Project No. A59007, "ELF Propagation RDT&E" (U), Principal Investigator, P. R. Bannister (Code 3411), Navy Program Element No. 11401N and Project No. XD792, Space and Naval Warfare Systems Command (SPAWARSYSCOM), Capt. R. Koontz (Code PDW 110-3), Program Manager ELF Communications.

The Technical Reviewer for this report was Anthony D. Cafaro, (Code 3411).

Reviewed and Approved: 11 March 1986



D. F. Dence  
Head, Submarine Electromagnetic  
Systems Department

AD-A166548

## REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS										
2a. SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.										
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE												
4. PERFORMING ORGANIZATION REPORT NUMBER(S)  TR7523		5. MONITORING ORGANIZATION REPORT NUMBER(S)										
6a. NAME OF PERFORMING ORGANIZATION Naval Underwater Systems Center	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION										
6c. ADDRESS (City, State, and ZIP Code).  New London Laboratory New London, CT 06320		7b. ADDRESS (City, State, and ZIP Code)										
8a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER										
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS  PROGRAM ELEMENT NO.      PROJECT NO.      TASK NO.      WORK UNIT ACCESSION NO.										
11. TITLE (Include Security Classification)  COMPARISONS OF 76 Hz TRANSVERSE AND RADIAL MAGNETIC FIELD STRENGTH COMPONENTS RECEIVED IN CONNECTICUT												
12. PERSONAL AUTHOR(S)  Peter R. Bannister												
13a. TYPE OF REPORT	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) 86/3/11	15. PAGE COUNT									
16. SUPPLEMENTARY NOTATION  Comments:												
17. COSATI CODES  <table border="1"><tr><th>FIELD</th><th>GROUP</th><th>SUB-GROUP</th></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>		FIELD	GROUP	SUB-GROUP							18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP										
19. ABSTRACT (Continue on reverse if necessary and identify by block number)  The results of 136 days of radial magnetic field measurements taken from November 1977 through June 1984 are discussed in this report. The main result is that during disturbed propagation conditions, the radial and transverse magnetic field strength daily plots (versus GMT) are usually dissimilar (in both amplitude and relative phase).  L. J. Bannister												
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED										
22a. NAME OF RESPONSIBLE INDIVIDUAL P.R. Bannister		22b. TELEPHONE (Include Area Code) (203) 440-4885	22c. OFFICE SYMBOL Code 3411									

## TABLE OF CONTENTS

	Page
LIST OF ILLUSTRATIONS . . . . .	ii
LIST OF TABLES . . . . .	vi
INTRODUCTION . . . . .	1
THEORY . . . . .	1
NOVEMBER 1977 TO JUNE 1984 CONNECTICUT RADIAL MAGNETIC FIELD MEASUREMENTS . . . . .	5
DAILY PLOTS OF TRANSVERSE VERSUS RADIAL MAGNETIC FIELD STRENGTH . . . . .	5
CONCLUSIONS . . . . .	11
REFERENCES . . . . .	50
APPENDIX A - NOVEMBER 1977 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . .	A-1
APPENDIX B - DECEMBER 1977 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . .	B-1
APPENDIX C - MARCH 1978 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	C-1
APPENDIX D - OCTOBER 1983 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	D-1
APPENDIX E - NOVEMBER 1983 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	E-1
APPENDIX F - DECEMBER 1983 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	F-1
APPENDIX G - FEBRUARY 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	G-1
APPENDIX H - MARCH 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	H-1
APPENDIX I - APRIL 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	I-1
APPENDIX J - MAY 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	J-1
APPENDIX K - JUNE 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS . . . .	K-1

Distribution	
Availability Codes	
Dist	Avail and/or Special
A1	



## LIST OF ILLUSTRATIONS

Figure		Page
1	Magnitude and Phase of the Function $y = -f(x)$ Versus $x$ . . . . .	12
2	Comparisons of Connecticut Radial Magnetic Field Strengths Versus GMT (10/26, 10/27, and 11/12, 1983 and 4/6, 1984) . . . . .	13
3	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 16 November 1977 . . . . .	14
4	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 26 November 1977 . . . . .	15
5	Comparison of Connecticut Transverse Magnetic Field Strengths Versus GMT (10/2/83 and 3/26/84) . . . . .	16
6	Comparison of Connecticut Radial Magnetic Field Strengths Versus GMT . . . . .	17
7	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths (Average of 3/1 to 3/8/84 Data) . . . . .	18
8	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 11 November 1977 . . . . .	19
9	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 3 December 1977 . . . . .	20
10	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 13 December 1977 . . . . .	21
11	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 17 December 1977 . . . . .	22
12	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 26 March 1978 . . . . .	23
13	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 12 November 1983 . . . . .	24
14	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 10/11 December 1983 . . . . .	25
15	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 12 December 1983 . . . . .	26
16	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 23 February 1984 . . . . .	27
17	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 1 March 1984 . . . . .	28
18	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 2 March 1984 . . . . .	29
19	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 3 March 1984 . . . . .	30
20	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 4 March 1984 . . . . .	31
21	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 5 March 1984 . . . . .	32
22	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 6 March 1984 . . . . .	33
23	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 8 March 1984 . . . . .	34

## LIST OF ILLUSTRATIONS (Cont'd)

Figure		Page
24	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 4 April 1984 . . . . .	35
25	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 6 April 1984 . . . . .	36
26	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 7 April 1984 . . . . .	37
27	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 9 April 1984 . . . . .	38
28	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths (Average of 4/21 and 4/22/84 Data) . . . . .	39
29	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths (Average of 4/29 and 4/30/84 Data) . . . . .	40
30	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 4 May 1984 . . . . .	41
31	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 6 May 1984 . . . . .	42
32	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 13 May 1984 . . . . .	43
33	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 14 May 1984 . . . . .	44
34	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 17 May 1984 . . . . .	45
35	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 19 May 1984 . . . . .	46
36	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 22 May 1984 . . . . .	47
37	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 9 June 1984 . . . . .	48
38	Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 10 June 1984 . . . . .	49
A-1	Connecticut Radial Magnetic Field Strength Versus GMT, 1 Through 4 November 1977 ( $\psi = 290$ deg) . . . . .	A-4
A-2	Connecticut Radial Magnetic Field Strength Versus GMT, 5 and 6 November 1977 ( $\psi = 290$ deg) . . . . .	A-5
A-3	Connecticut Radial Magnetic Field Strength Versus GMT, 7, 8, and 10 November 1977 ( $\psi = 290$ deg) . . . . .	A-6
A-4	Connecticut Radial Magnetic Field Strength Versus GMT, 11 and 12 November 1977 ( $\psi = 290$ deg) . . . . .	A-7
A-5	Connecticut Radial Magnetic Field Strength Versus GMT, 13 and 14 November 1977 ( $\psi = 21$ deg) . . . . .	A-8
A-6	Connecticut Radial Magnetic Field Strength Versus GMT, 15 and 16 November 1977 ( $\psi = 21$ deg) . . . . .	A-9
A-7	Connecticut Radial Magnetic Field Strength Versus GMT, 17 and 18 November 1977 ( $\psi = 21$ deg) . . . . .	A-10
A-8	Connecticut Radial Magnetic Field Strength Versus GMT, 19 and 20 November 1977 ( $\psi = 21$ deg) . . . . .	A-11
A-9	Connecticut Radial Magnetic Field Strength Versus GMT, 21 and 23 November 1977 ( $\psi = 21$ deg) . . . . .	A-12

## LIST OF ILLUSTRATIONS (Cont'd)

Figure		Page
A-10	Connecticut Radial Magnetic Field Strength Versus GMT, 24 and 25 November 1977 ( $\psi = 21$ deg) . . . . .	A-13
A-11	Connecticut Radial Magnetic Field Strength Versus GMT, 26 and 27 November 1977 ( $\psi = 21$ deg) . . . . .	A-14
A-12	Connecticut Radial Magnetic Field Strength Versus GMT, 28, 29, and 30 November 1977 ( $\psi = 21$ deg) . . . . .	A-15
B-1	Connecticut Radial Magnetic Field Strength Versus GMT, 1 and 2 December 1977 ( $\psi = 290$ deg) . . . . .	B-2
B-2	Connecticut Radial Magnetic Field Strength Versus GMT, 3 and 4 December 1977 ( $\psi = 290$ deg) . . . . .	B-3
B-3	Connecticut Radial Magnetic Field Strength Versus GMT, 5 and 13 December 1977 ( $\psi = 290$ deg) . . . . .	B-4
B-4	Connecticut Radial Magnetic Field Strength Versus GMT, 14 and 17 December 1977 ( $\psi = 290$ deg) . . . . .	B-5
B-5	Connecticut Radial Magnetic Field Strength Versus GMT, 18, 19, and 20 December 1977 ( $\psi = 290$ deg) . . . . .	B-6
C-1	Connecticut Radial Magnetic Field Strength Versus GMT, 24/25 and 25/26 March 1978 ( $\psi = 290$ deg) . . . . .	C-2
C-2	Connecticut Radial Magnetic Field Strength Versus GMT, 26/27 and 27/28 March 1978 ( $\psi = 290$ deg) . . . . .	C-3
C-3	Connecticut Radial Magnetic Field Strength Versus GMT, 29/30 and 30/31 March 1978 ( $\psi = 290$ deg) . . . . .	C-4
D-1	Connecticut Radial Magnetic Field Strength Versus GMT, 19 and 20 October 1983 ( $\psi = 290$ deg) . . . . .	D-2
D-2	Connecticut Radial Magnetic Field Strength Versus GMT, 21 and 22 October 1983 ( $\psi = 290$ deg) . . . . .	D-3
D-3	Connecticut Radial Magnetic Field Strength Versus GMT, 23 and 24 October 1983 ( $\psi = 290$ deg) . . . . .	D-4
D-4	Connecticut Radial Magnetic Field Strength Versus GMT, 25, 26, and 27 October 1983 ( $\psi = 290$ deg) . . . . .	D-5
E-1	Connecticut Radial Magnetic Field Strength Versus GMT, 2 and 3 November 1983 ( $\psi = 290$ deg) . . . . .	E-2
E-2	Connecticut Radial Magnetic Field Strength Versus GMT, 4 and 5 November 1983 ( $\psi = 290$ deg) . . . . .	E-3
E-3	Connecticut Radial Magnetic Field Strength Versus GMT, 6 and 7 November 1983 ( $\psi = 290$ deg) . . . . .	E-4
E-4	Connecticut Radial Magnetic Field Strength Versus GMT, 11 and 12 November 1983 ( $\psi = 290$ deg) . . . . .	E-5
E-5	Connecticut Radial Magnetic Field Strength Versus GMT, 13 and 14 November 1983 ( $\psi = 290$ deg) . . . . .	E-6
E-6	Connecticut Radial Magnetic Field Strength Versus GMT, 15 and 16 November 1983 ( $\psi = 290$ deg) . . . . .	E-7
E-7	Connecticut Radial Magnetic Field Strength Versus GMT, 17 and 18 November 1983 ( $\psi = 290$ deg) . . . . .	E-8
F-1	Connecticut Radial Magnetic Field Strength Versus GMT, 3 and 4 December 1983 ( $\psi = 290$ deg) . . . . .	F-3
F-2	Connecticut Radial Magnetic Field Strength Versus GMT, 5 and 12 December 1983 ( $\psi = 290$ deg) . . . . .	F-4

## LIST OF ILLUSTRATIONS (Cont'd)

Figure		Page
F-3	Connecticut Radial Magnetic Field Strength Versus GMT, 10 and 11 December 1983 ( $\psi = 290$ deg) . . . . .	F-5
G-1	Connecticut Magnetic Field Strength Comparisons, 14/15 February 1984 ( $\psi = 290$ deg) . . . . .	G-2
G-2	Connecticut Radial Magnetic Field Strength Versus GMT, 23 and 24 February 1984 ( $\psi = 290$ deg) . . . . .	G-3
G-3	Connecticut Radial Magnetic Field Strength Versus GMT, 25 and 26 February 1984 ( $\psi = 290$ deg) . . . . .	G-4
G-4	Connecticut Radial Magnetic Field Strength Versus GMT, 28 and 29 February 1984 ( $\psi = 290$ deg) . . . . .	G-5
H-1	Connecticut Radial Magnetic Field Strength Versus GMT, 1 and 2 March 1984 ( $\psi = 290$ deg) . . . . .	H-2
H-2	Connecticut Radial Magnetic Field Strength Versus GMT, 3 and 4 March 1984 ( $\psi = 290$ deg) . . . . .	H-3
H-3	Connecticut Radial Magnetic Field Strength Versus GMT, 5 and 6 March 1984 ( $\psi = 290$ deg) . . . . .	H-4
H-4	Connecticut Radial Magnetic Field Strength Versus GMT, 7, 8 and 9 March 1984 ( $\psi = 290$ deg) . . . . .	H-5
H-5	Connecticut Radial Magnetic Field Strength Versus GMT, 12 and 13 March 1984 ( $\psi = 290$ deg) . . . . .	H-6
I-1	Connecticut Radial Magnetic Field Strength Versus GMT, 4 and 5 April 1984 ( $\psi = 290$ deg) . . . . .	I-2
I-2	Connecticut Radial Magnetic Field Strength Versus GMT, 6 and 7 April 1984 ( $\psi = 290$ deg) . . . . .	I-3
I-3	Connecticut Radial Magnetic Field Strength Versus GMT, 8 and 9 April 1984 ( $\psi = 290$ deg) . . . . .	I-4
I-4	Connecticut Radial Magnetic Field Strength Versus GMT, 20 and 21 April 1984 ( $\psi = 290$ deg) . . . . .	I-5
I-5	Connecticut Radial Magnetic Field Strength Versus GMT, 22 and 23 April 1984 ( $\psi = 290$ deg) . . . . .	I-6
I-6	Connecticut Radial Magnetic Field Strength Versus GMT, 24 and 25 April 1984 ( $\psi = 290$ deg) . . . . .	I-7
I-7	Connecticut Radial Magnetic Field Strength Versus GMT, 26 and 27 April 1984 ( $\psi = 290$ deg) . . . . .	I-8
I-8	Connecticut Radial Magnetic Field Strength Versus GMT, 29 and 30 April 1984 ( $\psi = 290$ deg) . . . . .	I-9
J-1	Connecticut Radial Magnetic Field Strength Versus GMT, 1 and 3 May 1984 ( $\psi = 290$ deg) . . . . .	J-2
J-2	Connecticut Radial Magnetic Field Strength Versus GMT, 4 and 5 May 1984 ( $\psi = 290$ deg) . . . . .	J-3
J-3	Connecticut Radial Magnetic Field Strength Versus GMT, 6 and 7 May 1984 ( $\psi = 290$ deg) . . . . .	J-4
J-4	Connecticut Radial Magnetic Field Strength Versus GMT, 8 and 9 May 1984 ( $\psi = 290$ deg) . . . . .	J-5
J-5	Connecticut Radial Magnetic Field Strength Versus GMT, 10 and 11 May 1984 ( $\psi = 290$ deg) . . . . .	J-6
J-6	Connecticut Radial Magnetic Field Strength Versus GMT, 12 and 13 May 1984 ( $\psi = 290$ deg) . . . . .	J-7

## LIST OF ILLUSTRATIONS (Cont'd)

Figure		Page
J-7	Connecticut Radial Magnetic Field Strength Versus GMT, 14 and 15 May 1984 ( $\psi = 290$ deg) . . . . .	J-8
J-8	Connecticut Radial Magnetic Field Strength Versus GMT, 16 and 17 May 1984 ( $\psi = 290$ deg) . . . . .	J-9
J-9	Connecticut Radial Magnetic Field Strength Versus GMT, 19 and 20 May 1984 ( $\psi = 290$ deg) . . . . .	J-10
J-10	Connecticut Radial Magnetic Field Strength Versus GMT, 21 and 22 May 1984 ( $\psi = 290$ deg) . . . . .	J-11
J-11	Connecticut Radial Magnetic Field Strength Versus GMT, 25 and 30 May 1984 ( $\psi = 290$ deg) . . . . .	J-12
K-1	Connecticut Radial Magnetic Field Strength Versus GMT, 7 and 8 June 1984 ( $\psi = 290$ deg) . . . . .	K-2
K-2	Connecticut Radial Magnetic Field Strength Versus GMT, 9 and 10 June 1984 ( $\psi = 290$ deg) . . . . .	K-3
K-3	Connecticut Radial Magnetic Field Strength Versus GMT, 11 and 12 June 1984 ( $\psi = 290$ deg) . . . . .	K-4

## LIST OF TABLES

Table		Page
1	Summary of Connecticut $H_\phi$ Measurements . . . . .	6
2	Summary of Simultaneous Connecticut $H_\phi$ Measurements . . . . .	7
3	Comparison of Connecticut $H_\phi$ and $H_\psi$ Measurements . . . . .	8
4	Comparison of Transverse and Radial Magnetic Field Strengths During 3-hr Minimum Nighttime Field-Strength Period . . . . .	10
A-1	November 1977 Connecticut Daily $H_\phi$ Averages . . . . .	A-2
B-1	December 1977 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	B-1
C-1	March 1978 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	C-1
D-1	October 1983 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	D-1
E-1	November 1983 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	E-1
F-1	December 1983 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	F-2
G-1	February 1984 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	G-1
H-1	March 1984 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	H-1
I-1	April 1984 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	I-1
J-1	May 1984 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	J-1
K-1	June 1984 Connecticut Daily $H_\phi$ Averages ( $\psi = 290$ deg) . . . . .	K-1

COMPARISONS OF 76-Hz TRANSVERSE AND RADIAL MAGNETIC FIELD STRENGTH  
COMPONENTS RECEIVED IN CONNECTICUT

INTRODUCTION

Since June 1970, we have made extremely low frequency (ELF) measurements of the transverse horizontal magnetic field strength,  $H_\phi$ , received in Connecticut.<sup>1-15</sup> Occasionally, we also have measured either the vertical electric field strength,  $E_v$ ,<sup>16</sup> or the radial horizontal magnetic field strength,  $H_r$ . The AN/BSR-1 ELF receivers are located at the Naval Underwater Systems Center (NUSC), at New London, CT. The whip receiving antenna is also located at NUSC, while the loop receiving antennas are located at Fishers Island, NY (about 10 km from New London). The receivers and loop antennas are connected by means of a microwave link from Fishers Island to New London. The AN/BSR-1 receiver is composed of an AN/UYK-20 minicomputer, a signal timing and interface unit (STIU), a rubidium frequency time standard, two magnetic-tape recorders, and a preamplifier.

The transmission source for these farfield (1.6-Mm range) measurements is the U.S. Navy's ELF Wisconsin Test Facility (WTF), located in the Chequamegon National Forest in north-central Wisconsin, about 8 km south of the village of Clam Lake. The WTF consists of two 22.5-km antennas; one antenna is located approximately in the north-south (NS) direction and one is located approximately in the east-west (EW) direction. Each antenna is grounded at both ends. At 76 Hz, the electrical axis of the NS antenna is 14 deg east of north, while the electrical axis of the EW antenna is 114 deg east of north. The WTF array can be steered electrically toward any particular location and its radiated power is approximately 1 W.

In this report, we will discuss the results of 136 days of radial magnetic field measurements taken from November 1977 through June 1984. We also will compare them (in both amplitude and relative phase) with simultaneous transverse magnetic field measurements during both normal- and disturbed-propagation conditions.

THEORY

For measurement distances sufficiently removed from the antipode but greater than both  $1.5L$  and an earth wavelength,  $\lambda_e$ , the  $H_z$  and  $H_r$  components produced by the WTF EW antenna (of length  $L$ ) can be<sup>17,18</sup> expressed as

$$H_\phi \sim -\frac{ILf_1(L)G(t)\cos \phi e^{-\alpha_0}}{2\pi\gamma_e p^3} \left[ \left( -\frac{i\pi x}{2} \right) H_1^{(\pm)}(x) f(x) \right] \left[ \frac{(\omega/a)}{\sin(\omega/a)} \right]^{1/2} \text{ A/m} \quad (1)$$

and

$$H_\rho \sim \frac{ILf_2(L)H(t)\sin\phi e^{-\alpha\rho}}{2\pi\gamma_e\rho^3} \left[ \left( -\frac{i\pi x}{2} \right) H_1^{(2)}(x) \right] \left[ \frac{(\rho/a)}{\sin(\rho/a)} \right]^{3/2} \text{ A/m ,} \quad (2)$$

where

$I$  = WTF EW antenna current (300 A),

$L$  = WTF EW antenna length ( $2.25 \times 10^4$  m),

$\phi$  = azimuth angle (deg),

$\rho$  = great-circle distance between WTF and receiver (m),

$\alpha$  = earth-ionosphere waveguide attenuation rate (Np/m),

$a$  = radius of the earth ( $\sim 6.37 \times 10^6$  m),

$\gamma_e \approx (i\omega\mu_0\sigma_e)^{1/2} = (1 + i)/\delta_e$  = propagation constant in the earth beneath the WTF EW antenna (meters<sup>-1</sup>),

$\delta_e \approx \sqrt{2/(\omega\mu_0\sigma_e)}$  = skin depth in the earth beneath the WTF EW antenna (m),

$\lambda_e = 2\pi\delta_e$  = wavelength in the earth (m),

$\sigma_e$  = effective conductivity beneath the WTF EW antenna ( $2.8 \times 10^{-4}$  S/m at 45 Hz and  $3.2 \times 10^{-4}$  S/m at 75 Hz),

$H_0^{(2)}(x)$  = Hankel function of the second kind, order zero, and argument  $x$ ,

$H_1^{(2)}(x)$  = Hankel function of the second kind, order one, and argument  $x$ ,

$x = k_\rho(c/v) = \frac{2\pi\rho}{\lambda}(c/v)$ ,

$c$  = velocity of light in free space ( $\sim 3 \times 10^8$  m/s),

$v$  = earth-ionosphere waveguide phase velocity (m/s), and

$\lambda$  = free-space wavelength (m).

The functions  $f_1(L)$ ,  $f_2(L)$ ,  $f(x)$ ,  $G(t)$ , and  $H(t)$  are defined by

$$f_1(L) = 1 + 2\left(\frac{L}{2z}\right)^2 \left( 1 - \frac{15}{4} \sin^2 z \right) , \quad (5)$$

$$f_2(L) = 1 - \left(\frac{L}{2z}\right)^2 (1 - 5 \cos^2 z) , \quad (4)$$

$$f(x) = 1 - x \left[ \frac{H_0^{(2)}(x)}{H_1^{(2)}(x)} \right], \quad (5)$$

$$G(t) = \left( \frac{2t}{\pi} \right) \coth t + \left( 1 - \frac{2}{\pi} \right) t^2 \operatorname{csch}^2 t, \quad (6)$$

and

$$H(t) = G(t) + t^3 \coth t \operatorname{csch}^2 t, \quad (7)$$

where

$$t = \frac{\pi \rho}{2h(c/v)^2} \quad (8)$$

and  $h$  is the effective ionospheric reflecting height (m).

From equations (1) and (2), we see that the ratio of the transverse to radial magnetic field components is given by

$$\frac{H_\phi}{H_\rho} \sim -\frac{f_1(L)G(t)}{f_2(L)H(t)} f(x) \cot \phi \left[ \frac{\sin(\rho/a)}{(\rho/a)} \right]. \quad (9)$$

When  $t > 4.5$ ,  $G(t) \sim H(t) \sim 2t/\pi$ ,  $\rho \gg L$ , and  $f_1(L) \sim f_2(L) \sim 1$ . Therefore, when  $t > 4.5$ , equation (9) reduces to

$$\frac{H_\phi}{H_\rho} \sim -f(x) \cot \phi \left[ \frac{\sin(\rho/a)}{(\rho/a)} \right]. \quad (10)$$

The magnitude and phase of the function  $y = -f(x)$  are plotted in figure 1\* versus  $x$ . For small values of  $x$ ,  $|y| \sim 1$  and  $\theta(y) \sim -180$  deg. For  $x > 1.6$ ,  $|y| \sim x$ , while for  $x > 10$ ,  $\theta(y) \sim -90$  deg. When  $x > 1.6$ , the magnitude of equation (10) reduces to

$$\left| \frac{H_\phi}{H_\rho} \right| \sim \frac{2\pi a}{\lambda} (c/v) \sin(\rho/a) \cot \phi, \quad (11)$$

which is identical to Galejs' farfield result.<sup>19</sup>

The  $H_\phi$  and  $H_\rho$  components produced by the WTF antenna array can be obtained from equations (1), (2), (9), (10), and (11) by replacing  $\cos \phi$  with  $F(\phi)/B$ ,  $\sin \phi$  with  $F(\phi - 90 \text{ deg})/B$ , and  $\cot \phi$  with their ratio.  $F(\phi)/B$  is the WTF array pattern factor,<sup>6,20</sup> which equals unity in the direction of the EW antenna axis. At the Connecticut site,  $20 \log[F(\phi)/B] \sim +0.8$  dB and  $20 \log[F(\phi - 90 \text{ deg})/B] \sim +0.6$  dB for a WTF phasing angle,  $\phi$ , of 290 deg.

---

\*All figures have been placed together at the end of this report or in the applicable appendix.

For  $x > 1.6$  and  $\rho \leq 19$  Mm, the direct-path 76-Hz  $H_\phi$  and  $H_\rho$  components produced by the WTF antenna array also can be expressed as

$$\begin{aligned} 20 \log H_\phi &\sim -139.1 + 20 \log E - \alpha\rho - 10 \log(a \sin \rho/a) \\ &\quad + 20 \log F(\phi)/B \text{ dBA/m} \end{aligned} \quad (12)$$

and

$$\begin{aligned} 20 \log H_\rho &\sim 20 \log H_\phi - 4.0 - 20 \log(a \sin \rho/a) - 20 \log(c/v) \\ &\quad + 20 \log F(\phi - 90 \text{ deg})/B - 20 \log F(\phi)/B \text{ dBA/m}, \end{aligned} \quad (13)$$

where  $E = (h_{KM} \sqrt{\sigma_e c/v})^{-1}$  is defined as the earth-ionosphere waveguide excitation factor. In equations (12) and (13),  $h$  is in km,  $\rho$  and  $a$  are in Mm,  $\rho/a$  is in radians, and  $\alpha$  is in dB/Mm.

The average 75-Hz-band phase-velocity ratio ( $c/v$ ) inferred from propagation measurements taken over various paths from 1966 to 1982 was  $\sim 1.25$  during the day and  $\sim 1.09$  at night.<sup>21</sup> Therefore, on the average, at the Connecticut site (for  $\psi = 290$  deg)

$$20 \log H_\rho \sim 20 \log H_\phi - 10.1 \text{ dB} \quad (14)$$

during the day,

$$20 \log H_\rho \sim 20 \log H_\phi - 9.5 \text{ dB} \quad (15)$$

during the transition periods, and

$$20 \log H_\rho \sim 20 \log H_\phi - 8.9 \text{ dB} \quad (16)$$

at night.

The average 75-Hz-band daytime and nighttime attenuation rates inferred from propagation measurements taken over east and northeast paths from 1966 to 1982 were 1.25 and 1.0 dB/Mm, respectively, while the average excitation factors were -0.8 dB during the day and -3.2 dB at night.<sup>21</sup> Employing equations (12) through (16) and the abovementioned values of  $\alpha$  and  $20 \log E$  results in predicted Connecticut 76-Hz average field strengths of -143.2, -144.2, and -145.2 dBA/m ( $H_\phi$ ) and -153.3, -153.7, and -154.1 dBA/m ( $H_\rho$ ), respectively, during daytime, transition period (TP), and nighttime propagation conditions.

At the Connecticut site, the predicted  $H_\phi$  and  $H_\rho$  average difference in relative phase ( $\Delta\phi$ ) between the nighttime and daytime periods is 20 to 25 deg. This is based on the average relative phase-velocity difference between daytime and nighttime propagation conditions [ $\Delta(c/v)$ ] of 0.14 to 0.16.<sup>21</sup>

NOVEMBER 1977 TO JUNE 1984 CONNECTICUT RADIAL  
MAGNETIC FIELD MEASUREMENTS

During November 1977 to June 1984, field strength data were obtained on 136 days at the Connecticut site. The daily plots of radial magnetic field strength (both amplitude and relative phase) versus Greenwich Mean Time (GMT) (in 1-hr increments) and the  $H_o$  daily field strength averages are presented in appendixes A through K. The data are broken up into four time periods, which are representative of nighttime, sunrise transition period (SRTP), daytime, and sunset transition period (SSTP) propagation conditions. From 11 to 30 November 1977, the WTF antenna array phasing angle,  $\psi$ , was 21 deg. During the rest of the radial magnetic-field measurement period,  $\psi$  was 290 deg. (The Connecticut  $H_o$  measured field strengths for  $\psi = 290$  deg should be 0.5 dB higher than those for  $\psi = 21$  deg.) Throughout the  $H_o$  measurement period, the WTF transmitting frequency was  $76 \pm 4$  Hz.

Presented in tables 1 and 2 are the radial and (simultaneous) transverse magnetic field average monthly field strengths, while a comparison of the Connecticut  $H_o$  and  $H_\phi$  field strengths is presented in table 3. (All data are normalized to a WTF antenna current of 300 A and an array phasing angle of 290 deg.) Referring to tables 1, 2, and 3, we see that the average transverse magnetic field strengths are about as expected (in both amplitude and relative phase), as are the average nighttime and transition-period radial magnetic field strengths. On the other hand, the average daytime  $H_o$  field strengths are ~ 1 dB less than predicted and the average  $H_o$  night-to-day relative-phase variation is 7 to 10 deg higher than predicted. (It should be noted, however, that most of the  $H_o$  daytime measurement period consisted of only 1 to 4 hr/day.)

As an example of the dispersion obtained in the radial magnetic field strength measurements, consider figure 2, which is a comparison of the  $H_o$  field strengths measured during four different nights. Note that, on both 10/26 and 10/27/83, the  $H_o$  field strengths were greater throughout the nighttime measurement period (by ~ 1.5 to 5 dB) than the predicted value (-154.1 dBA/m). Moreover, on both 11/12/83 and 4/6/84, the nighttime field strength amplitude dip was ~ 8 dB! Also, the difference between the highest measured 1-hr  $H_o$  sample (0300 on 10/26/83) and lowest (0500 on 4/6/84) was ~ 13 dB!

DAILY PLOTS OF TRANSVERSE VERSUS RADIAL  
MAGNETIC FIELD STRENGTH

In a recent report,<sup>16</sup> we discussed the results of 60 days of selected whip-antenna measurements taken during the 5-month period of November 1977 to March 1978. The main result is that the Connecticut vertical electric field strength behavior usually is very similar to the transverse horizontal magnetic field strength behavior (in both amplitude and relative phase) during both normal- and disturbed-propagation conditions.

Presented in figures 3 and 4 are sample comparisons of the transverse and radial magnetic-field strengths measured during normal-propagation conditions.

Table 1. Summary of Connecticut  $H_p$  Measurements\*

Date	Night $H_p$ (dBA/m)	SRTTP $H_p$ (dBA/m)	Day $H_p$ (dBA/m)	SSTP $H_p$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Number of Measurement Days
November 1977	-153.7	-154.4	-154.3	-153.4	18	28
December 1977	-154.0	-154.3	-154.5	-153.5	35	11
March 1978	-154.6	-153.9	-153.9	-154.1	39	6
October 1983	-153.1	-153.4	-	-152.6	-	9
November 1983	-154.0	-154.1	-	-154.4	-	14
December 1983	-154.1	-154.4	-154.4	-154.2	25.3	6
February 1984	-154.5	-154.6	-154.2	-154.3	31.5	7
March 1984	-154.6	-153.8	-154.3	-	35	11
April 1984	-154.4	-153.6	-153.9	-	25.5	16
May 1984	-154.3	-153.6	-153.9	-154.0	31.5	22
June 1984	-153.4	-152.8	-153.4	-152.8	33	6
Measured Average	-154.0	-153.9	-154.1	-153.7	30	136
Predicted Average	-154.1	-153.7	-153.3	-153.7	20 to 23	-

\*All data normalized to a WTP antenna current of 300 A and an array phasing angle of 290 deg.

Table 2. Summary of Simultaneous Connecticut  $H_\phi$  Measurements\*

Date	Night $H_\phi$ (dB $\lambda/m$ )	SRTP $H_\phi$ (dB $\lambda/m$ )	Day $H_\phi$ (dB $\lambda/m$ )	SSTP $H_\phi$ (dB $\lambda/m$ )	Approximate $\Delta\phi$ (deg)
November 1977	-145.0	-144.1	-143.2	-143.7	22.9
December 1977	-145.4	-144.2	-143.3	-144.2	23.2
March 1978	-145.5	-144.0	-143.3	-144.0	24.8
October 1983	-144.2	-143.8	-	-143.4	-
November 1983	-145.0	-144.1	-	-144.9	-
December 1983	-145.1	-144.1	-143.2	-143.8	23.5
February 1984	-145.3	-144.2	-143.4	-143.6	21.5
March 1984	-145.7	-144.3	-143.0	-	20.0
April 1984	-145.3	-144.2	-143.3	-	16.0
May 1984	-145.3	-144.2	-143.4	-144.4	17.5
June 1984	-144.9	-144.1	-143.2	-144.0	20.5
Measured Average	-145.2	-144.1	-143.2	-144.0	21.2
Predicted Average	-145.2	-144.2	-143.2	-144.2	20 to 23

\*All data normalized to a WII antenna current of 300 A and an array phasing angle of 290 deg.

Table 3. Comparison of Connecticut  $H_p$  and  $H_\phi$  Measurements\*

Date	Night $H_\phi/H_p$ (dB)	TP $H_\phi/H_p$ (dB)	Day $H_\phi/H_p$ (dB)	Approximate $H_p\Delta\phi - H_\phi\Delta\phi$ (deg)
November 1977	8.7	9.8	11.1	-5
December 1977	8.6	10.3	11.2	12
March 1978	9.1	10.0	10.6	14
October 1983	8.9	9.4	-	-
November 1983	8.9	9.7	-	-
December 1983	9.4	10.2	11.2	2
February 1984	9.2	10.2	10.9	10
March 1984	8.9	9.5	11.3	15
April 1984	9.0	9.6	10.7	9.5
May 1984	8.8	9.4	10.4	14
June 1984	9.3	9.2	10.1	11
Measured Average	9.0	9.7	10.8	7-10
Predicted Average	8.9	9.5	10.1	0

\*All data normalized to a WTF antenna current of 300 A and an array phasing angle of 290 deg.

During normal-propagation conditions, the Connecticut  $H_p$  amplitude behavior usually is similar to the  $H_\phi$  amplitude behavior, while the  $H_p$  night-to-day relative-phase variation ( $\Delta\phi$ ) usually is greater than the  $H_\phi\Delta\phi$  variation (e.g., see table 3). Occasionally, however, the  $H_p\Delta\phi$  variation is less than the  $H_\phi\Delta\phi$  variation (e.g., see figures 3 and 4).

Two typical transverse and radial magnetic field strength variations during disturbed nighttime propagation conditions are presented in figures 5 and 6. In the Type A variation, the field strength amplitude rapidly decreases 2 to 8 dB, then rapidly increases 2 to 8 dB. Meanwhile, the Type A relative phase gradually increases, peaks about 1 hr before the minimum amplitude time, rapidly decreases to below (or well below) the nighttime starting level (~ 20 deg), and gradually increases to about the starting level by the end of the nighttime measurement period.

In the Type B variation, the field strength amplitude gradually decreases 2 to 8 dB, levels off, and gradually increases 2 to 8 dB. Meanwhile, the Type B relative phase substantially increases, peaks, and substantially decreases.

Presented in figure 7 is a comparison of the Connecticut transverse and radial magnetic field strengths measured during the disturbed-propagation period of 1 to 8 March 1984. Here, we see that the  $H_\phi$  variation is closer to Type A, while the  $H_p$  variation is closer to Type B. Note, also, that the  $H_\phi$  amplitude variation is greater than the  $H_p$  amplitude variation, while the  $H_p$  relative-phase variation is greater than the  $H_\phi$  relative-phase variation.

Various comparisons of the Connecticut transverse and radial magnetic field strengths are presented in figures 8 through 38. From these plots, we see that, during disturbed nighttime propagation conditions, the transverse and radial magnetic field strength variations usually are dissimilar (in both amplitude and relative phase). In particular, the radial magnetic field strength variations usually are greater than the transverse magnetic field strength variations (see figures 13 through 18 and 25 through 30).

This fact is further illustrated in table 4, which is a comparison of the transverse and radial magnetic field strengths measured during the 3-hr minimum-amplitude nighttime field strength period. This period usually is from 0500 to 0800 GMT, with the relative phase peaking 1 hr earlier (0400 to 0700 GMT). Comparing tables 1 through 4, we see that the average  $H_c$  field strength is 2.1 dB lower than predicted (-156.2 compared to -154.1 dBA/m), while the average  $H_\phi$  field strength is 1.0 dB lower than predicted (-146.2 compared to -145.2 dBA/m). Furthermore, the  $H_p$  relative-phase variation is 20 deg greater than the  $H_\phi$  relative-phase variation.

Table 4. Comparison of Transverse and Radial Magnetic Field Strengths During 3-hr Minimum Nighttime Field Strength Period

Date	Starting Time A, $\phi$	$H_p$ (dBA/m)	$H_p \Delta\phi$ (deg)	$H_\phi$ (dBA/m)	$H_\phi \Delta\phi$ (deg)	$H_\phi / H_p$ (dB)	$H_p \Delta\phi - H_\phi \Delta\phi$ (deg)
12/3/77	05, 04	-156.0	45	-146.4	20	9.6	25
12/13/77	05, 04	-155.9	52	-145.4	21	10.5	31
12/17/77	04, 03	-156.8	33	-146.8	30	10.0	3
3/26/78	05, 04	-156.5	58	-146.4	25	10.1	33
11/12/83	03, 03	-158.0	24	-145.6	13	12.4	11
12/11/83	04, 03	-156.7	56	-145.4	29	11.3	27
12/12/83	02, 01	-157.7	51	-143.9	25	13.8	26
2/23/84	05, 04	-158.1	49	-146.7	22	11.4	27
3/1/84	06, 05	-157.2	63	-147.1	29	10.1	34
3/2/84	04, 03	-156.7	24	-145.9	16	10.8	8
3/3/84	06, 05	-154.8	48	-146.3	24	8.5	24
3/4/84	06, 05	-154.6	42	-146.8	22	7.8	20
3/5/84	06, 05	-154.0	49	-146.6	26	7.4	23
3/6/84	05, 04	-157.1	38	-147.0	22	10.1	16
3/8/84	06, 05	-153.5	29	-148.3	28	5.2	1
4/4/84	06, 05	-154.8	45	-147.9	15	6.9	30
4/6/84	04, 03	-160.3	16	-146.8	13	15.5	5
4/7/84	05, 04	-155.8	22	-145.4	5	10.4	17
4/9/84	05, 04	-157.5	34	-144.9	13	12.6	21
4/21/84	06, 05	-157.4	32	-145.4	21	12.0	11
4/22/84	06, 05	-156.0	37	-146.7	27	9.3	10
4/29/84	05, 04	-154.8	36	-145.6	22	9.2	14

Table 4. (Cont'd) Comparison of Transverse and Radial Magnetic Field Strengths During 3-hr Minimum Nighttime Field Strength Period

Date	Starting Time A, $\phi$	$H_p$ (dBA/m)	$H_p \Delta\phi$ (deg)	$H_\phi$ (dBA/m)	$H_\phi \Delta\phi$ (deg)	$H_\phi / H_p$ (dB)	$H_p \Delta\phi - H_\phi \Delta\phi$ (deg)
4/30/84	05, 04	-154.7	56	-145.7	25	9.0	31
5/4/84	05, 04	-155.8	69	-147.6	30	8.2	39
5/6/84	05, 04	-158.5	21	-146.7	24	11.8	-3
5/13/84	06, 05	-155.0	12	-148.1	18	6.9	-6
5/14/84	06, 05	-152.8	43	-145.3	20	7.5	23
5/17/84	05, 04	-158.1	47	-146.7	19	11.4	28
5/19/84	04, 03	-157.6	24	-147.9	16	9.7	8
5/22/84	05, 04	-155.6	42	-144.6	14	11.0	28
6/9/84	05, 04	-154.7	47	-145.4	26	10.3	21
6/10/84	06, 05	-156.1	67	-144.8	26	11.3	41
Averages	05, 04	-156.2	41	-146.2	21	10.0	20

#### CONCLUSIONS

In this report, we have presented the results of 136 days of radial magnetic field-strength measurements taken from November 1977 through June 1984. During normal-propagation conditions, the Connecticut  $H_p$  amplitude behavior usually is similar to the  $H_\phi$  amplitude behavior, while the  $H_p$  night-to-day relative-phase variation ( $\Delta\phi$ ) usually is somewhat greater than the  $H_\phi \Delta\phi$  variation.

During disturbed-propagation conditions, the  $H_p$  and  $H_\phi$  daily plots (versus GMT) usually are dissimilar (in both amplitude and relative phase). In particular, the radial magnetic field-strength variations usually are greater than the transverse magnetic field-strength variations.




Figure 1. Magnitude and Phase of the Function  $y = -f(x)$  Versus  $x$




Figure 2. Comparisons of Connecticut Radial Magnetic Field Strengths Versus GMT (10/26, 10/27, and 11/12, 1983 and 4/6, 1984)




Figure 5. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 16 November 1977




Figure 5. Comparison of Connecticut Transverse Magnetic Field Strengths Versus GMT (10/2/83 and 3/26/84)




Figure 4. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 26 November 1977




Figure 6. Comparison of Connecticut Radial Magnetic Field Strengths Versus GMT




Figure 7. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths (Average of 5/1 to 5/8/84 Data)




Figure 8. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 11 November 1977




Figure 9. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 5 December 1977




Figure 10. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 13 December 1977




Figure 11. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 17 December 1977




Figure 12. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 26 March 1978




Figure 13. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 12 November 1983




Figure 14. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 10/11 December 1985




Figure 15. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 12 December 1983




Figure 16. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 25 February 1984




Figure 17. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 1 March 1984




Figure 18. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 2 March 1984




Figure 19. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 5 March 1984




Figure 20. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 4 March 1984




Figure 21. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 5 March 1984




Figure 22. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 6 March 1984




Figure 25. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 8 March 1984




Figure 24. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 4 April 1984




Figure 25. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 6 April 1984




Figure 26. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 7 April 1984




Figure 27. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 9 April 1984




Figure 28. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths (Average of 4/21 and 4/22/84 Data)




Figure 29. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths (Average of 4/29 and 4/30/84 Data)




Figure 30. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 4 May 1984




Figure 51. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 6 May 1984




Figure 32. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 15 May 1984




Figure 55. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 14 May 1984




Figure 54. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 17 May 1984




Figure 35. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 19 May 1984




Figure 36. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 22 May 1984




Figure 37. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 9 June 1984





Figure 38. Comparison of Connecticut Transverse and Radial Magnetic Field Strengths, 10 June 1984

## REFERENCES

1. P. R. Bannister, F. J. Williams, J. R. Katan, and R. F. Ingram, Results of ELF Farfield Measurements Made in Connecticut, June 1970 - May 1973, NUSC Technical Report 4617, Naval Underwater Systems Center, New London, CT, 17 October 1973.
2. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut from September 1973 through January 1974, NUSC Technical Report 4791, Naval Underwater Systems Center, New London, CT, 6 May 1974.
3. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut During 1974, NUSC Technical Report 4927, Naval Underwater Systems Center, New London, CT, 1 October 1975.
4. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut During 1975, NUSC Technical Report 5695, Naval Underwater Systems Center, New London, CT, 15 August 1977.
5. P. R. Bannister, ELF Field Strength Measurements Made in Connecticut During 1976, NUSC Technical Report 5853, Naval Underwater Systems Center, New London, CT, 11 September 1978.
6. P. R. Bannister et al., "Extremely Low Frequency (ELF) Propagation," NUSC Scientific and Engineering Studies, Naval Underwater Systems Center, New London, CT, February 1980, 550 pp.
7. P. R. Bannister, ELF PVS Field Strength Measurements, January 1977, NUSC Technical Report 6879, Naval Underwater Systems Center, New London, CT, 1 March 1983.
8. P. R. Bannister, ELF PVS Field Strength Measurements, March 1977, NUSC Technical Report 6769, Naval Underwater Systems Center, New London, CT, 3 February 1983.
9. P. R. Bannister, ELF PVS Field Strength Measurements, April 1977, NUSC Technical Report 6771, Naval Underwater Systems Center, New London, CT, 3 February 1983.
10. P. R. Bannister, ELF PVS Field Strength Measurements, October 1977, NUSC Technical Report 6773, Naval Underwater Systems Center, New London, CT, 3 February 1983.
11. P. R. Bannister, ELF PVS Field Strength Measurements, January/February 1978, NUSC Technical Report 6775, Naval Underwater Systems Center, New London, CT, 3 February 1983.
12. P. R. Bannister, Connecticut ELF Field Strength Measurements, May to July 1977, NUSC Technical Report 6887, Naval Underwater Systems Center, New London, CT, 11 January 1984.

13. P. R. Bannister, Connecticut ELF Field Strength Measurements, March to May 1978, NUSC Technical Report 7079, Naval Underwater Systems Center, New London, CT, 11 January 1984.
14. P. R. Bannister, Connecticut ELF Field Strength Measurements, August to December 1977, and July to September 1978, NUSC Technical Report 7357, Naval Underwater Systems Center, New London, CT (in press).
15. P. R. Bannister, "Summary of ELF Propagation Validation System Field Strength Measurements, 1976 to 1978," IEEE Journal of Oceanic Engineering, vol. OE-9, no. 3, 1984, pp. 189-195.
16. P. R. Bannister, Comparisons of 76 Hz Vertical Electric and Horizontal Magnetic Field Strengths Received in Connecticut, NUSC Technical Report 7369, Naval Underwater Systems Center, New London, CT (in press).
17. P. R. Bannister and F. J. Williams, "Results of the August 1972 Wisconsin Test Facility Effective Earth Conductivity Measurements," Journal of Geophysical Research, vol. 79, no. 5, 1974, pp. 725-732 (corrections listed in vol. 79, no. 17, 1974, p. 2698).
18. P. R. Bannister, A Compilation of Field Strength Formulas for ELF Radio Wave Propagation in the Earth-Ionosphere Waveguide, NUSC Technical Report 7521, Naval Underwater Systems Center, New London, CT (in press).
19. J. Galejs, Terrestrial Propagation of Long Electromagnetic Waves, Pergamon Press, NY, 1972, p. 100.
20. P. R. Bannister, "Summary of the Results of the Wisconsin Test Facility Phasing Anomaly Investigations," Radio Science, vol. 13, no. 5, 1978, pp. 687-692.
21. P. R. Bannister, "The Determination of Representative Ionospheric Conductivity Parameters for ELF Propagation in the Earth-Ionosphere Waveguide," Radio Science, vol. 20, no. 4, 1985, pp. 977-984.



## Appendix A

### NOVEMBER 1977 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The November 1977 Connecticut daily field strength averages are given in table A-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures A-1 through A-12.

Table A-1. November 1977 Connecticut Daily  $H_p$  Averages

A-12

Date	$\psi$ (deg)	SSTP $H_p$ (dBA/m)	Night $H_p$ (dBA/m)	SRTP $H_p$ (dBA/m)	Day $H_p$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_p/H_0$ (dB)	TP $H_p/H_0$ (dB)
11/1	290	-153.4	-152.2	-153.6	-154.4	-	7.9	9.5
11/2	290	-153.0	-154.1	-154.3	-154.4	-	8.7	9.8
11/3	290	-153.2	-154.4	-154.6	-155.8	22	9.1	10.5
11/4	290	-155.3	-154.6	-154.9	-155.5	25	9.4	10.6
11/5	290	-154.0	-154.3	-154.8	-156.8	29	9.6	10.7
11/6	290	-154.3	-153.9	-155.2	-156.7	38	8.7	10.8
11/7	290	-154.1	-155.4	-155.9	-157.1	38	10.1	11.2
11/8	290	-154.1	-154.9	-154.3	-155.4	29	9.3	10.2
11/10	290	-154.2	-154.6	-155.7	-155.6	37	-	-
Averages	290	-153.9	-154.2	-154.8	-155.7	31	9.1	10.4
11/11	21	-154.9	-153.2	-154.8	-	22	7.4	9.7
11/12	21	-	-154.5	-154.6	-154.2	0	8.9	9.0
11/13	21	-153.5	-154.7	-154.8	-154.5	1	8.7	9.3
11/14	21	-153.2	-154.5	-154.7	-	19	8.5	9.4
11/15	21	-	-154.0	-154.9	-154.0	9	8.5	9.9
11/16	21	-154.2	-154.1	-154.8	-154.5	2	8.7	10.0
11/17	21	-153.8	-154.3	-155.3	-154.2	1	8.9	9.5
11/18	21	-152.8	-154.5	-154.7	-153.3	-1	-	-
11/19	21	-153.7	-154.0	-154.7	-154.3	18	8.6	9.6
11/20	21	-153.1	-153.7	-154.7	-154.2	15	8.6	9.2

Table A-1. (Cont'd) November 1977 Connecticut Daily  $H_p$  Averages

Date	$\psi$ (deg)	SSTP $H_p$ (dBA/m)	Night $H_p$ (dBA/m)	SRTDP $H_p$ (dBA/m)	Day $H_p$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_p/H_p^0$ (dB)	TP $H_p/H_p^0$ (dB)
11/21	21	-152.2	-152.1	-153.6	-153.1	25	6.2	8.3
11/23	21	-154.8	-155.0	-155.2	-154.2	18	9.3	10.2
11/24	21	-	-154.4	-154.8	-155.3	15	9.0	10.3
11/25	21	-153.4	-153.7	-154.6	-154.5	19	8.4	9.9
11/26	21	-153.4	-154.0	-154.8	-154.2	9	8.5	9.4
11/27	21	-154.3	-154.0	-154.3	-153.9	10	9.3	10.3
11/28	21	-154.4	-155.0	-155.9	-154.2	15	9.5	10.5
11/29	21	-154.7	-153.8	-154.7	-154.0	19	8.7	9.6
11/30	21	-153.7	-153.3	-154.0	-	13	8.0	9.2
Averages	21	-153.7	-154.0	-154.7	-154.1	12	8.5	9.6
28-Day Averages*		-153.4	-153.7	-154.4	-154.3	18	8.7	9.8

\*Normalized to a WII array phasing angle of 290 deg.




Figure A-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 1 Through 4 November 1977 (., = 290 deg)




Figure A-2. Connecticut Radial Magnetic Field Strength Versus GMT, 5 and 6 November 1977 (. = 290 deg)




Figure A-5. Connecticut Radial Magnetic Field Strength Versus GMT, 7, 8, and 10 November 1977 (. = 290 deg)




Figure A-4. Connecticut Radial Magnetic Field Strength Versus  
GMT, 11 and 12 November 1977 ( $\cdot = 21$  deg)




Figure A-5. Connecticut Radial Magnetic Field Strength versus GMT, 13 and 14 November 1977 (. = 21 deg)




Figure A-6. Connecticut Radial Magnetic Field Strength Versus  
GMT, 15 and 16 November 1977 (., = 21 deg)




Figure A-7. Connecticut Radial Magnetic Field Strength Versus GMT, 17 and 18 November 1977 (. = 21 deg)




Figure A-8. Connecticut Radial Magnetic Field Strength Versus  
GMT, 19 and 20 November 1977 (. = 21 deg)




Figure A-9. Connecticut Radial Magnetic Field Strength Versus  
GMT, 21 and 23 November (. = 21 deg)




Figure A-10. Connecticut Radial Magnetic Field Strength Versus GMT, 24 and 25 November 1977 (. = 21 deg)




Figure A-11. Connecticut Radial Magnetic Field Strength Versus  
GMT, 26 and 27 November 1977 ( $\gamma = 21$  deg)




Figure A-12. Connecticut Radial Magnetic Field Strength Versus  
GMT, 28, 29, and 30 November 1977 ( - 21 deg)

## Appendix B

## DECEMBER 1977 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The December 1977 Connecticut daily field strength averages are given in table B-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures B-1 through B-5.

Table B-1. December 1977 Connecticut Daily  $H_\phi$  Averages ( $\psi = 290$  deg)

Date	SSTP $H_\phi$ (dBA/m)	Night $H_\phi$ (dBA/m)	SRTP $H_\phi$ (dBA/m)	Day $H_\phi$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_\phi/H_\phi$ (dB)	TP $H_\phi/H_\phi$ (dB)
12/1	-	-153.5	-154.4	-155.9	37	8.1	9.4
12/2	-	-156.2	-155.9	-155.6	48	10.1	12.0
12/3	-	-155.2	-154.6	-155.3	31	9.9	12.3
12/4	-	-153.3	-156.0	-155.6	38	9.3	12.6
12/5	-	-153.1	-153.9	-154.4	27	8.9	10.6
12/13	-154.2	-154.3	-153.2	-153.3	44	9.5	10.0
12/14	-153.3	-153.8	-154.6	-153.6	25	8.2	10.0
12/17	-152.4	-155.2	-154.0	-154.6	29	9.0	8.6
12/18	-154.8	-153.0	-154.1	-154.5	43	7.4	10.0
12/19	-153.5	-153.1	-153.4	-153.2	38	7.5	9.0
12/20	-153.0	-153.1	-153.3	-153.8	29	7.5	8.8
Averages	-153.5	-154.0	-154.3	-154.5	35	8.7	10.3




Figure B-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 1 and 2 December 1977 (. = 290 deg)




Figure B-2. Connecticut Radial Magnetic Field Strength Versus GMT, 3 and 4 December 1977 (. = 290 deg)




Figure B-3. Connecticut Radial Magnetic Field Strength Versus GMT, 5 and 13 December 1977 (. = 290 deg)




Figure B-4. Connecticut Radial Magnetic Field Strength Versus  
GMT, 14 and 17 December 1977 (. = 290 deg)




Figure B-5. Connecticut Radial Magnetic Field Strength Versus  
GMT, 18, 19, and 20 December 19<sup>77</sup> (. = 290 deg)

## Appendix C

## MARCH 1978 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The March 1978 Connecticut daily field strength averages are given in table C-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures C-1 through C-3.

Table C-1. March 1978 Connecticut Daily  $H_\phi$  Averages ( $\psi = 290$  deg)

Date	Night $H_\phi$ (dBA/m)	S RTP $H_\phi$ (dBA/m)	Day $H_\phi$ (dBA/m)	S STP $H_\phi$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_\phi/H_\rho$ (dB)	TP $H_\phi/H_\rho$ (dB)
3/25	-154.8	-154.5	-153.6	-153.6	41	9.4	9.8
3/26	-155.4	-154.2	-154.0	-154.2	45	9.6	10.1
3/27	-154.9	-154.4	-154.6	-155.8	37	-	-
3/28	-156.3	-	-	-154.2	39	11.2	10.5
3/30	-153.8	-153.8	-	-153.1	32	8.2	9.6
3/31	-152.8	-153.0	-153.4	-153.8	41	-	-
Averages	-154.6	-153.9	-153.9	-154.1	39	9.6	10.0




Figure C-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 24/25 and 25/26 March 1978 (, = 290 deg)




Figure C-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 26/27 and 27/28 March 1978 (.<sup>o</sup> = 290 deg)

TR 7523




Figure C-3. Connecticut Radial Magnetic Field Strength Versus  
GMT, 29/30 and 30/31 March 1978 (. = 290 deg)

## Appendix D

## OCTOBER 1983 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The October 1983 Connecticut daily field strength averages are given in table D-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures D-1 through D-4.

Table D-1. October 1983 Connecticut Daily  $H_0$  Averages ( $\psi = 290$  deg)

Date	Night $H_0$ (dBA/m)	Date	Night $H_0$ (dBA/m)
10/19	-153.7	10/24	-153.2
10/20	-154.5	10/25	-153.0
10/21	-153.8	10/26	-151.3
10/22	-153.2	10/27	-151.6
10/23	-153.5	Average	-153.1




Figure D-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 19 and 20 October 1983 (. = 290 deg)




Figure D-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 21 and 22 October 1983 (.<sup>o</sup> = 290 deg)




Figure D-3. Connecticut Radial Magnetic Field Strength Versus  
GMT, 23 and 24 October 1983 (• = 290 deg)




Figure D-4. Connecticut Radial Magnetic Field Strength Versus  
GMT, 25, 26, and 27 October 1983 (• = 290 deg)

## Appendix E

## NOVEMBER 1983 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The November 1983 Connecticut daily field strength averages are given in table E-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures E-1 through E-7.

Table E-1. November 1983 Connecticut Daily  $H_\rho$  Averages ( $\psi = 290$  deg)

Date	Night $H_\rho$ (dBA/m)	Night $H_\phi/H_\rho$ (dB)	Date	Night $H_\rho$ (dBA/m)	Night $H_\phi/H_\rho$ (dB)
11/2	-153.9	9.0	11/12	-155.1	10.1
11/3	-153.7	9.0	11/13	-154.2	8.4
11/4	-154.1	9.0	11/14	-153.4	8.6
11/5	-154.2	-	11/15	-152.9	8.4
11/6	-154.1	-	11/16	-152.9	8.3
11/7	-153.8	-	11/17	-155.5	9.9
11/11	-153.8	8.8	11/18	-154.7	-
Averages				-154.0	8.9




Figure E-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 2 and 3 November 1983 (, = 290 deg)




Figure E-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 4 and 5 November 1983 (. = 290 deg)




Figure E-3. Connecticut Radial Magnetic Field Strength Versus  
GMT, 6 and 7 November 1983 (. = 290 deg)





Figure E-4. Connecticut Radial Magnetic Field Strength Versus  
GMT, 11 and 12 November 1983 ( $\phi = 290$  deg)


AD-R166 548      COMPARISONS OF 76HZ TRANSVERSE AND RADIAL MAGNETIC  
FIELD STRENGTH COMPONE. (U) NAVAL UNDERWATER SYSTEMS  
CENTER NEW LONDON CT NEW LONDON LAB. P R BANNISTER

UNCLASSIFIED 11 MAR 86 NUSC-TD-7523

2/2  
F/G 20/14

ML





MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS - 1963 - A




Figure E-5. Connecticut Radial Magnetic Field Strength Versus  
GMT, 13 and 14 November 1983 ( $\downarrow = 290$  deg)




Figure E-6. Connecticut Radial Magnetic Field Strength Versus  
GMT, 15 and 16 November 1983 ( $\lambda = 290$  deg)




Figure E-7. Connecticut Radial Magnetic Field Strength Versus GMT, 17 and 18 November 1983 (• = 290 deg)

Appendix F

DECEMBER 1983 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The December 1983 Connecticut daily field strength averages are given in table F-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures F-1 through F-3.

Table F-1. December 1983 Connecticut Daily  $H_p$  Averages ( $\psi = 290$  deg)

Date	Night $H_p$ (dB(A/m))	SRTP $H_p$ (dB(A/m))	Day $H_p$ (dB(A/m))	SSTP $H_p$ (dB(A/m))	$\Delta\phi$ (deg)	Night $H_p/H_{p0}$ (dB)	TP $H_p/H_{p0}$ (dB)	Day $H_p/H_{p0}$ (dB)
12/3	-153.2	-154.7	-154.6	-155.9	16.7	7.8	11.4	11.6
12/4	-153.0	-154.0	-153.3	-154.1	23.6	8.1	9.6	9.6
12/5	-153.6	-	-	-	12.6	8.8	-	-
12/10	-154.2	-154.6	-155.4	-153.3	23.1	9.8	10.0	12.0
12/11	-155.4	-154.6	-154.7	-153.5	46.6	10.6	10.2	11.6
12/12	-155.4	-154.4	-154.4	-	29.0	11.3	10.2	11.3
Averages	-154.1	-154.4	-154.4	-154.2	25.3	9.4	10.2	11.2




Figure F-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 3 and 4 December 1983 (, = 290 deg)




Figure F-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 5 and 12 December 1983 ( $\varphi = 290$  deg)




Figure F-3. Connecticut Radial Magnetic Field Strength Versus  
GMT, 10 and 11 December 1983 (. = 290 deg)

## Appendix G

## FEBRUARY 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The February 1984 Connecticut daily field strength averages are given in table G-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures G-1 through G-4.

Table G-1. February 1984 Connecticut Daily  $H_\phi$  Averages ( $\psi = 290$  deg)

Date	Night $H_\phi$ (dBA/m)	SRTP $H_\phi$ (dBA/m)	Day $H_\phi$ (dBA/m)	SSTP $H_\phi$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_\phi/H_\rho$ (dB)	TP $H_\phi/H_\rho$ (dB)
2/15	-154.1	-155.4	-156.1	-154.3	25.0	9.3	10.4
2/23	-156.4	-153.4	-153.3	-	41.5	10.4	8.5
2/24	-154.6	-154.1	-154.0	-	29.0	9.3	9.7
2/25	-153.8	-154.8	-154.6	-154.3	21.0	8.6	10.7
2/26	-153.3	-153.5	-153.1	-	16.5	8.1	9.8
2/28	-154.3	-154.3	-	-	40.0	8.8	9.8
2/29	-155.0	-156.8	-154.1	-	48.5	9.1	12.8
Averages	-154.5	-154.6	-154.2	-154.3	31.5	9.0	10.2




Figure G-1. Connecticut Magnetic Field Strength Comparisons,  
14/15 February 1984 ( $\gamma = 290$  deg)




Figure G-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 23 and 24 February 1984 (. = 290 deg)




Figure G-3. Connecticut Radial Magnetic Field Strength Versus  
GMT, 25 and 26 February 1984 ( $\lambda = 290$  deg)




Figure G-4. Connecticut Radial Magnetic Field Strength Versus GMT, 28 and 29 February 1984 (, = 290 deg)

## Appendix H

## MARCH 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The March 1984 Connecticut daily field strength averages are given in table H-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures H-1 through H-5.

Table H-1. March 1984 Connecticut Daily  $H_\phi$  Averages ( $\psi = 290$  deg)

Date	Night $H_\phi$ (dBA/m)	S RTP $H_\phi$ (dBA/m)	Day $H_\phi$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_\phi/H_\rho$ (dB)	TP $H_\phi/H_\rho$ (dB)
3/1	-155.6	-154.4	-156.0	57.0	9.6	9.9
3/2	-155.0	-153.8	-154.5	18.5	10.0	10.5
3/3	-154.7	-153.7	-154.3	41.0	9.3	9.5
3/4	-153.9	-153.4	-154.2	32.5	8.4	9.3
3/5	-152.8	-153.1	-153.6	43.5	7.3	9.3
3/6	-156.1	-153.4	-154.2	30.0	9.9	9.6
3/7	-156.0	-154.0	-154.9	22.0	-	-
3/8	-153.1	-154.1	-	27.0	6.5	9.1
3/9	-155.9	-155.0	-	30.0	-	-
3/12	-153.0	-154.2	-154.2	41.0	-	-
3/13	-154.6	-153.1	-153.2	50.5	-	-
Averages	-154.6	-153.8	-154.3	35	8.7	9.6




Figure H-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 1 and 2 March 1984 (. = 290 deg)




Figure H-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 3 and 4 March 1984 (. = 290 deg)




Figure H-5. Connecticut Radial Magnetic Field Strength Versus  
GMT, 5 and 6 March 1984 (, = 290 deg)




Figure H-4. Connecticut Radial Magnetic Field Strength Versus  
GMT, 7, 8, and 9 March 1984 (. = 290 deg)




Figure H-5. Connecticut Radial Magnetic Field Strength Versus GMT, 12 and 13 March 1984 (• = 290 deg)

## Appendix I

## APRIL 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The April 1984 Connecticut daily field strength averages are given in table I-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures I-1 through I-8.

Table I-1. April 1984 Connecticut Daily  $H_\phi$  Averages ( $\psi = 290$  deg)

Date	Night $H_\phi$ (dBA/m)	SRTTP $H_\phi$ (dBA/m)	Day $H_\phi$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_\phi/H_\rho$ (dB)	TP $H_\phi/H_\rho$ (dB)	Day $H_\phi/H_\rho$ (dB)
4/4	-154.6	-154.2	-154.1	30.0	7.7	7.5	-
4/5	-152.6	-152.6	-153.1	30.0	7.5	8.4	9.3
4/6	-158.5	-155.5	-155.3	17.5	12.2	11.6	12.0
4/7	-154.2	-154.8	-155.1	16.0	9.3	11.0	12.1
4/8	-155.4	-154.1	-155.3	33.5	9.8	10.5	12.0
4/9	-156.6	-153.9	-153.1	20.5	11.9	10.5	10.5
4/20	-155.3	-154.2	-153.7	29.0	9.7	10.4	10.5
4/21	-154.9	-154.3	-154.4	19.0	9.9	10.6	11.5
4/22	-153.6	-153.9	-153.7	30.0	8.1	9.9	10.5
4/23	-153.3	-153.5	-153.1	28.0	7.9	9.5	10.1
4/24	-154.4	-152.2	-152.9	36.5	8.4	8.6	9.9
4/25	-153.1	-153.7	-154.7	17.5	7.7	9.5	11.6
4/26	-155.2	-153.9	-153.9	17.5	10.4	10.0	10.4
4/27	-153.6	-152.8	-152.9	23.5	8.6	8.7	9.4
4/29	-153.2	-152.3	-	24.0	8.1	8.5	-
4/30	-153.2	-153.1	-	34.0	8.0	9.2	-
Averages	-154.4	-153.6	-153.9	25.5	9.0	9.6	10.7




Figure I-1. Connecticut Radial Magnetic Field Strength Versus  
GMT, 4 and 5 April 1984 (• = 290 deg)




Figure I-2. Connecticut Radial Magnetic Field Strength Versus GMT, 6 and 7 April 1984 (. = 290 deg)




Figure I-3. Connecticut Radial Magnetic Field Strength Versus GMT, 8 and 9 April 1984 ( $\lambda = 290$  deg)




Figure I-4. Connecticut Radial Magnetic Field Strength Versus  
GMT, 20 and 21 April 1984 (. = 290 deg)




Figure I-5. Connecticut Radial Magnetic Field Strength Versus  
GMT, 22 and 23 April 1984 (. = 290 deg)




Figure I-6. Connecticut Radial Magnetic Field Strength Versus  
GMT, 24 and 25 April 1984 (. = 290 deg)




Figure I-7. Connecticut Radial Magnetic Field Strength Versus  
GMT, 26 and 27 April 1984 (, = 290 deg)




Figure I-8. Connecticut Radial Magnetic Field Strength Versus GMT, 29 and 30 April 1984 (. = 290 deg)

## Appendix J

## MAY 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The May 1984 Connecticut daily field strength averages are given in table J-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures J-1 through J-11.

Table J-1. May 1984 Connecticut Daily  $H_\phi$  Averages ( $\psi = 290$  deg)

Date	SSTP $H_\phi$ (dBA/m)	Night $H_\phi$ (dBA/m)	SRTP $H_\phi$ (dBA/m)	Day $H_\phi$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_\phi/H_\rho$ (dB)	TP $H_\phi/H_\rho$ (dB)	Day $H_\phi/H_\rho$ (dB)
5/1	-152.9	-153.6	-153.2	-153.4	21.5	8.5	8.6	10.1
5/3	-153.9	-154.1	-153.3	-154.3	35.5	-	-	-
5/4	-153.1	-154.9	-154.2	-153.8	66.5	8.1	8.9	10.3
5/5	-153.9	-154.4	-154.0	-154.1	35.5	7.8	9.3	10.4
5/6	-156.8	-157.2	-155.2	-154.4	18.0	11.5	12.0	11.2
5/7	-153.1	-152.1	-153.6	-153.5	-	8.5	9.4	10.9
5/8	-152.4	-152.4	-152.7	-153.8	28.5	7.9	8.8	9.7
5/9	-152.6	-153.1	-154.0	-154.0	49.5	7.5	8.9	9.9
5/10	-153.3	-155.3	-154.4	-155.4	32.0	10.3	9.8	12.6
5/11	-154.8	-154.6	-154.1	-154.2	38.5	-	-	-
5/12	-154.2	-152.9	-154.0	-153.5	16.8	8.4	9.6	10.0
5/13	-153.7	-154.3	-154.9	-153.2	12.0	8.0	8.2	9.9
5/14	-153.8	-152.6	-152.2	-152.4	43.0	7.9	7.8	8.4
5/15	-152.3	-154.0	-153.4	-152.8	41.5	8.8	8.8	8.8
5/16	-154.1	-154.4	-153.7	-154.2	25.5	8.9	9.7	11.1
5/17	-154.1	-156.8	-154.7	-154.3	38.0	10.8	10.5	10.8
5/19	-155.0	-156.5	-155.2	-153.5	24.5	9.5	10.1	9.8
5/20	-156.7	-155.5	-153.2	-152.8	34.0	9.6	10.5	9.9
5/21	-155.4	-152.6	-153.0	-154.1	34.0	6.7	9.8	11.2
5/22	-152.7	-154.8	-152.3	-	59.0	9.8	8.2	-
5/25	-156.1	-154.4	-153.6	-154.9	11.5	8.9	10.6	11.8
5/30	-154.4	-154.7	-153.5	-155.4	20.0	9.1	9.8	11.9
Averages	-154.0	-154.3	-153.6	-153.9	31.5	8.8	9.4	10.4




Figure J-1. Connecticut Radial Magnetic Field Strength Versus GMT, 1 and 3 May 1984 ( $\alpha = 290$  deg)




Figure J-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 4 and 5 May 1984 (.. = 290 deg)




Figure J-3. Connecticut Radial Magnetic Field Strength Versus GMT, 6 and 7 May 1984 (, = 290 deg)




Figure J-4. Connecticut Radial Magnetic Field Strength Versus  
GMT, 8 and 9 May 1984 (. = 290 deg)




Figure J-5. Connecticut Radial Magnetic Field Strength Versus  
GMT, 10 and 11 May 1984 (. = 290 deg)




Figure J-6. Connecticut Radial Magnetic Field Strength Versus GMT, 12 and 13 May 1984 (. = 290 deg)




Figure J-7. Connecticut Radial Magnetic Field Strength Versus GMT, 14 and 15 May 1984 (. = 290 deg)




Figure J-8. Connecticut Radial Magnetic Field Strength Versus GMT, 16 and 17 May 1984 (, = 290 deg)




Figure J-9. Connecticut Radial Magnetic Field Strength Versus  
GMT, 19 and 20 May 1984 ( $\tau = 290$  deg)




Figure J-10. Connecticut Radial Magnetic Field Strength Versus  
GMT, 21 and 22 May 1984 (, = 290 deg)




Figure J-11. Connecticut Radial Magnetic Field Strength Versus  
GMT, 25 and 30 May 1984 (.<sup>o</sup> = 290 deg)

## Appendix K

## JUNE 1984 CONNECTICUT FIELD STRENGTH MEASUREMENTS

The June 1984 Connecticut daily field strength averages are given in table K-1. Daily plots of radial magnetic field strength versus GMT, in 1-hr increments, are given in figures K-1 through K-3.

Table K-1. June 1984 Connecticut Daily  $H_\phi$  Averages ( $\psi = 290$  deg)

Date	SSTP $H_\phi$ (dBA/m)	Night $H_\phi$ (dBA/m)	SRTP $H_\phi$ (dBA/m)	Day $H_\phi$ (dBA/m)	Approximate $\Delta\phi$ (deg)	Night $H_\phi/H_\phi$ (dB)	TP $H_\phi/H_\phi$ (dB)	Day $H_\phi/H_\phi$ (dB)
6/7	-	-	-	-153.2	-	-	-	9.9
6/8	-	-152.4	-151.9	-153.5	20	8.0	9.2	10.7
6/9	-152.0	-153.9	-153.5	-153.3	26	9.4	9.2	10.2
6/10	-153.8	-155.2	-152.9	-153.0	49	10.6	9.4	9.9
6/11	-152.9	-152.8	-153.2	-154.0	36	-	-	-
6/12	-152.7	-153.1	-152.8	-153.8	35	-	-	-
Averages	-152.8	-153.4	-152.8	-153.4	33	9.3	9.2	10.1




Figure K-1. Connecticut Radial Magnetic Field Strength Versus GMT, 7 and 8 June 1984 ( $\phi = 290$  deg)




Figure K-2. Connecticut Radial Magnetic Field Strength Versus  
GMT, 9 and 10 June 1984 ( $\nu = 290$  deg)




Figure K-5. Connecticut Radial Magnetic Field Strength Versus  
GMT, 11 and 12 June 1984 ( $\lambda = 290$  deg)

## INITIAL DISTRIBUTION LIST

Addressee	No. of Copies
DARPA	3
DTIC	15
ONR (Code 425GG (J. Heacock), 42810 (R. G. Joiner)	2
ASN (T. P. Quinn (for C <sup>3</sup> ), H. Hull (Rm SE 779)	2
NRL (Library, Dr. J. R. Davis (Code 7550), Dr. Frank Kelly)	3
NOSC (Library, R. A. Pappart, D. G. Morfitt, J. A. Ferguson, J. Bickel, F. P. Snyder, C. F. Ramstedt, P. Jansen, K. Grauer, W. Hart)	10
NAVELECSYSCOM (PME 110-11 (Dr. G. Brunhart), PME 110-X1 (Dr. Bodo Kruger), PME 110)	3
NAVAL SURFACE WEAPONS CENTER, WHITE OAK LAB. (J. J. Holmes, P. Wessel, K. Bishop, R. Brown, J. Cunningham, B. DeSavage, Library)	7
DWTNSRDC ANNA (W. Andahazy, F. E. Baker, P. Field, D. Everstine, B. Hood, D. Nixon)	6
NAVPGSCOL, MONTEREY (O. Heinz, P. Moose, A. Ochadlik, M. Thomas, W. M. Tolles, Library)	6
NCSC (K. R. Allen, R. H. Clark, M. J. Wynn, M. Cooper, E. Moritz, Library)	5
DIRECTOR, DEFENSE NUCLEAR AGENCY, RAAE, DDST, RAEV	3
R&D Associates, P. O. Box 9695, Marina del Rey, CA 90291 (C. Greifinger, P. Greifinger)	2
Pacific-Sierra Research Corp., 12340 Santa Monica Blvd. Los Angeles, CA 90025 (E. C. Field)	1
Johns Hopkins University, Applied Physics Laboratory, Laurel, MD 20810 (L. Hart, J. Giannini, H. Ko, I. Sugai)	4
University of California, Scripps Institute of Oceanography (C. S. Cox (Code A-030), H. G. Booker, J. Filloux, P. Young)	5
Lockheed Palo Alto Research Laboratory (W. Imhof, J. B. Reagan, E. E. Gaines, R. C. Gunton, R. E. Meyerott)	5
University of Texas, Geomagnetics and Electrical Geoscience Laboratory (F. X. Bostick, Jr.)	1
COMMANDER, AIR FORCE GEOPHYSICS LABORATORY (J. Aarons)	1
COMMANDER ROME AIR DEVELOPMENT CENTER (J.P. Turtle, J. E. Rasmussen, W. I. Klemetti, P. A. Kossey, E. F. Altschuler)	5
Applied Science Associates, Inc., (Dr. Gary S. Brown) 105 E. Chatham St., Apex, NC 27502	1
Computer Sciences Corp., Falls Church, VA 22046 (D. Blumberg, Senator R. Mellenberg, R. Heppe, F. L. Eisenbarth)	4
MIT Lincoln Labs. (M. L. Burrows, D. P. White, D. K. Willim, S. L. Bernstein, I. Richer)	5

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
Electromagnetic Sciences Lab. SRI International, Menlo Park, CA 94015 (Dr. David M. Bubenik)	1
Communications Research Centre (Dr. John S. Belrose) P.O. Box 11490, Station "H" Shirley Bay, Ottawa, Ontario, Canada K2H8S2	1
Dr. Joseph P. deBettencourt, 18 Sterling St., West Newton, MA 02165	1
Dr. Marty Abromavage, IITRE, Div. E., 10W 35th St., Chicago, IL 60616	1
NDRE, Division for Electronics (Dr. Trygve Larson) P. O. Box 25, Kjeller, Norway	1
Belden Corp., Technical Research Center Mr. Douglas O'Brien) Geneva, Illinois	1
University of Pennsylvania (Dr. Ralph Showers) Moore School of Elec. Eng., Philadelphia, PA 19174	1
University of Houston, Director, Dept. of Elec. Eng. (Prog. Liang C. Shen)	1
The University of Connecticut, Physics Dept., (Prof. O. R. Gilliam) Storrs, CT 06268	1
Dr. David J. Thomson, Defence Research Establishment Pacific, F.M.O., Victoria, B.C., Canada	1
Dr. Robert Hansen, Box 215, Tarzana, CA 91356	1
The University of Kansas, Remote Sensing Laboratory (Prof. R. K. Moore) Center for Research, Inc., Lawrence, Kansas	1
OT/ITS U.S. Dept. of Commerce (Dr. David A. Hill), Boulder, CO	1
Office of Telecommunications, Inst. for Telecommunications Services (Dr. Douglas D. Crombie, Director), Boulder, CO	1
University of Colorado, Dept. of Electrical Eng. (Prof. David C. Chang)	1
Dr. K. P. Spies, ITS/NTIA, U.S. Dept. of Commerce	1
The University of Connecticut, Dept. of Electrical Eng. & Computer Sci., Storrs, CT (Prof. Clarence Schultz, Prof. Mahmood A. Melehy)	2
Dr. Richard G. Geyer, 670 S. Estes St., Lakewood, CO	1
University of California, Lawrence Livermore Lab., (E. K. Miller, R. J. King)	3
Kings College, Radiophysics Group (Prof. D. Llanwyn-Jones) Strand, London WC2R 2LS, England	1
Instituto di Electrotechnica, Facolta di Ingegneria (Prof. Giorgio Tacconi) Viale Combiasso 6, 16145 Genova, Italy	1
Universite des Sciences de Lille (Prof. R. Gabillard), B. P. 36-59650 Villeneuve D'Ascq, Lille, France	1
Arthur D. Little, Inc., (Dr. A. G. Emslie, Dr. R. L. Lagace, R&D Div., Acorn Park, Cambridge, MA 02140	2

**INITIAL DISTRIBUTION LIST (Cont'd)**

Addressee	No of copies
University of Colorado, Dept. of Electrical Eng. (Prof. S. W. Maley)	1
University of Washington, EE Dept. (Prof. A. Ishimaru) Seattle	1
Dr. Svante Westland, Kiruna Geofysiska Institute, S981 01 Kiruna 1, Sweden	1
Dr. Harry C. Koons, The Aerospace Corp. P.O. Box 92957, Los Angeles, CA 90009	1
Dr. Albert Essmann, Hoogewinkel 46, 23 Kiel 1, West Germany	1
Glenn S. Smith, School of Elec. Eng. Georgia Tech. Atlanta, GA	1
Dr. T. Lee, CIRES, Campus Box 449, University of Colorado	1
Dr. Jack Williams, RCA Camden, Mail Stop 1-2, Camden, NJ 08102	1
Mr. Arnie Farstad, 390 S. 69th St., Boulder, CO 80303	1
NATO SACLANT ASW CENTER (Library)	1
USGS, Branch of Electromagnetism and Geomagnetism (Dr. James Towle) Denver, CO	1
NOAA, Pacific Marine Environ. Lab. (Dr. Jim Larsen)	1
University of Texas at Dallas, Geosciences Div. (Dr. Mark Landisman)	1
University of Wisconsin, Lewis G. Weeks Hall, Dept. of Geology and Geophysics (Dr. C. S. Clay)	1
Argonne National Laboratory, Bldg. 12 (Dr. Tony Valentino)	1
IITRE, Div. E, Chicago (Dr. Marty Abromavage)	1
The University of Manitoba, Elec. Eng. Dept. (Prof. A. Mohsen)	1
Mr. Jerry Pucillo, Analytical Systems, Engineering Corp., Newport, RI 02840	1
Dr. Misac N. Nabighian, Newmont Exploration Ltd., Tuscon, AZ	1
Dr. Fred Raab, Green Mountain Radio Research Co., 50 Vermont Ave., Winooski, VT 05404	1
Dr. Louis H. Rorden, President, Develco, Inc., 404 Tasman Dr., Sunnyvale, CA 94086	1
Dr. Eivind Trane, NDRE, P.O. Box 25, 2007 Kjeller, Norway	1
RCA David Sarnoff Research Center (K. Powers, J. Zennel, H. Staras)	4
University of Illinois, Aeronomy Laboratory (Prof C. F. Sechrist)	1
Dr. Cullen M. Crain, Rand Corp., Santa Monica, CA	1
Radioastronomisches Institute der Universitat Bonn (Dr. H. Volland), 5300 Bonn-Endenich, Auf dem Hilgel 71, West Germany	1
Dr. John P. Wikswo, Jr., P.O. Box 120062 Acklen Station, Nashville, TN	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
Mr. Lars Brock-Nannestad, DDRB Osterbrogades Kaserne, 2100 Copenhagen O, Denmark	1
Institut de Physique du Globe (Dr. Edonard Selzer) 11 Quai St., Bernard, Tour 24 Paris Ve, France	1
Elektrophysikalischs Institut (Dr. Herbvert Konig) Technische Hochschule, Arcisstrasse 21, 8 Munich 2, West Germany	1
Raytheon Company (Dr. Mario Grossi) Portsmouth, RI	1
NISC, Code OOW (Mr. M. A. Koontz) Washington, DC	1
Polytechnic Institute of Brooklyn (Prof. Leo Felsen)	1
NOAA/ERL (Dr. Earl E. Gossard) R45X7, Boulder, CO 80302	
Dr. George H. Hagn, SRI-Washington, Rosslyn Plaza, Arlington, VA	1
NOAA/ERL (Dr. C. Gordon Little) R45 Goddard Space Flight Ctr. (Dr. S. J. Durrani) Code 800.1	1
ITS, Office of Telecon (Dr. Ken Steele) Boulder, CO 80302	1
NTIA/ITS, U.S. Dept. of Commerce (Dr. A. D. Spaulding)	1
Stanford University, Elec. Eng. Dept. Dr. O. G. Villard, Jr.)	1
Dr. D. Middleton, 127 East 91st St., New York, NY 10028	1
University of California, Elec. Eng. & Computer Sci. Dept., Prof. K. K. Mei)	1
California Inst. of Technology, Jet Propulsion Lab., (Dr. Yahya Rahmat-Samii)	1
Mr. Larry Ball, U.S. Dept. of Energy NURE Project Office, P.O. Box 2567, Grand Junction, CO 81502	1
STATE DEPARTMENT ACDA MA-AT, Rm. 5499, Washington, DC 20451 (ADM T. Davies, R. Booth, N. Carrera)	3
GTE Sylvania, (R. Row, D. Boots, D. Esten) 189 Broad St., Needham, MA 02194	3
HARVARD UNIVERSITY, Gordon McKay Lab. (Prof. R. W. P. King, Prof. T. T. Wu)	2
University of Rhode Island, Dept. of Electrical Engineering (Prof. C. Polk)	1
University of Nebraska, Electrical Engineering Dept., (Prof. E. Bahar)	1
University of Toronto, EE Dept. (Prof. Keith Balmain)	1
NOAA/ERL (Dr. Donald E. Barrick	1
University of Colorado, EE Dept. (Prof. Peter Beckmann)	1
Geophysical Observatory, Physics & Eng. Lab. DSIR Christchurch, New Zealand (Dr. Richard Barr)	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
General Electric Co., (C. Zierdt, A. Steinmayer) 3198 Chestnut St., Philadelphia, PA 19101	2
University of Arizona, Elec. Eng. Dept., Bldg. 20 (Prof. J. R. Wait) Tuscon, AZ 85721	1
U.S. NAVAL ACADEMY, Dept. of Applied Science (Dr. Frank K. Chi)	1
Stanford University, Radioscience Laboratory (Dr. Anthony Fraser-Smith) Durand Bldg. Rm. 205	1
Stanford University, Stanford Electronics Laboratory (Prof. Bob Helliwell)	1
Colorado School of Mines, Department of Geophysics (Prof. A. Kaufman)	1
Prof. George V. Keller, Chairman, Group Seven, Inc., Irongate II, Executive Plaza, 777 So. Wadsworth Blvd, Lakewood, CO 80226	1
MIT, Dept. of Earth/Planetary Sciences, Bldg. 54-314 (Prof. Gene Simmons)	1
Colorado School of Mines (Dr. C. Stoyer)	1
University of Victoria, (Prof. J. Weaver) Victoria, B.C. V8W 2Y2 Canada	1
Mr. Donald Clark, c/o Naval Security Group Command, 3801 Nebraska Ave., NW, Washington, DC 20390	1
Prof. R. L. Dube, 13 Fairview Rd., Wilbraham, MA 01095	1
U.S. Geological Survey, Rm. 1244 (Dr. Frank C. Frischknecht) Denver, CO 80225	1
Mr. Larry Ginsberg, Mitre Corp., 1820 Dolly Madison Bldg. McLean, VA 22102	1
Dr. Robert Morgan, Rt. 1, Box 187, Cedaredge, CO 81413	1
Mr. A. D. Watt, Rt 1, Box 183 1/2, Delaredge, CO 81413	1
Dr. E. L. Maxwell, Atmospheric Sciences Dept., Colorado State University, Fort Collins, CO	1
Mr. Al Morrison, Purvis Systems, 3530 Camino Del Rio North, Suite 200, San Diego, CA 92108	1
Raytheon Service Co. (Dr. M. Soyda) Mt. Laurel NJ 08054	1
MITRE M/S W761 (Dr. W. Foster) McLean, VA	1
Max-Planck-Institut fur Aeronomie (Prof. P. Stubbe) 3400 Katlenburg-Lindau 3 FRG	1
University of Otago, Physics Dept. (Prof. R. L. Dowden) Dunedin, New Zealand	1
University of Leicester, Physics Dept. (Prof. T. B. Jones) Leicester, England	1
Naval Weapons Center, China Lake, Code 3814 (Dr. R. J. Dinger)	1
Dr. Claudia D. Tesche, Lutech, Inc., P.O. Box 1263, Berkeley	1
National Aeronautical Est., National Research Council, Flight Research Lab., (Dr. C. D. Harwick) Ottawa, K1AOR6, Canada	1

**INITIAL DISTRIBUTION LIST (Cont'd)**

Addressee	No of copies
Colorado Research and Prediction Laboratory, Inc. (Dr. R. H. Doherty, Dr. J. R. Johler) Boulder, CO	2
Arizona State University, School of Engineering, Dept. of Electrical and Computer Engineering (Prof. Constantine A. Balanis), Tempe, AZ 85287	1
University of Massachusetts, Dept. of Electrical and Computer Engineering, (Prof. Robert E. McIntosh), Amherst, MA 01003	1
Cairo University, Faculty of Engineering Electronics & Comm. Dept., (Dr. Samir F. Mahmond) Giza, Egypt	1
Virginia Polytechnic Institute and State University, Dept. of Electrical Engineering, (R. Clark Robertson), Blacksburg, VA 24061	1
NISC 52, (B. Blackburn), 4301 Smithland Road, Washington, DC 20390	1
University of Michigan Radiation Laoratory, Dept. of Electrical and Computer Enginering (Prof. Dikpa Sengupta), 4072 East Engineering Bldg.. Ann Arbor, MI 48109	1
U-157, Elec. Eng. and Computer Sci. Dept., (Prof. Rajeer Bansal), UCONN, Storrs, CT 06268	1
Helsinki University of Technology, Dept. of Electrical Engineering, (I.V. Lindell & E. Alanen), Otakaari 5A, SF-021150 Espoo, Finland	1

EIN D

D T / C

15 - 86